



# REPORT

Technical Report: (8513)227-0282

Page 1 of 4  
AUG 30, 2013



**Bureau Veritas Shenzhen Co., Ltd**

4/F, Block B, Minlida Industrial Building,  
4 Zone Of Honghualing Industrial Park,  
Xili Town, Nanshan District, Shenzhen,  
Guangdong, P.R.C.

Tel:86-755-86000151 fax: 86-755-86000159  
[www.bureauveritas.com/cps](http://www.bureauveritas.com/cps)

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.cps.bureauveritas.com> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



# TEST REPORT

SUPREME PLASTIC PRODUCTS CO., LTD.  
TAI HE INDUSTRIAL DISTRICT  
QINGYUAN CITY

**LAB LOCATION:** SHENZHEN  
**LAB NUMBER:** (8513)227-0282

**ATTN:** ANN ZHANG  
**CC:** ann@sanfitwindoware.com  
cathy@sanfitwindoware.com

**DATE IN:** AUG 15, 2013  
**MOD. LOG IN:** AUG 23, 2013  
**DATE OUT:** AUG 30, 2013  
**REVISED DATE:** /  
**WORKING DAYS:** 6  
**PAGE:** 2 OF 4

OVERALL RATING	
PASS	<u>    X    </u>
FAIL	<u>          </u>
DATA	<u>          </u>

**TESTING FOR**  
**16CFR 1500.44 FLAMMABILITY**  
**LEAD CONTENT IN SURFACE COATING**

<b>Sample Description:</b>	2" VINYL-PLUS BLIND								
<b>Manufacturer:</b>	SUPREME PLASTIC PRODUCTS CO., LTD.				<b>P.O. No.:</b>	/			
<b>Buyer:</b>	/			<b>Style:</b>	ITEM# 22" X 60"				
<b>Country of Origin:</b>	CHINA			<b>Country of Destination:</b>	USA				
<b>Color:</b>	WHITE			<b>SKU Number:</b>	/				
<b>Re-test:</b>	<b>Yes:</b>	<input type="checkbox"/>	<b>No:</b>	<input checked="" type="checkbox"/>	<b>Charge Vendor:</b>	<b>Yes:</b>	<input checked="" type="checkbox"/>	<b>No:</b>	<input type="checkbox"/>
<b>Previous Report No.:</b>	/								



**EXECUTIVE SUMMARY:**

1. The submitted sample demonstrated **SATISFACTORY** flammability characteristic as shown below :**(PASS)**

Evaluation	Citation/method	Criteria	Results
Flammability of solids	Reference 16 CFR 1500.44	[SAFETY REQUIREMENTS] Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second	M/PASS

2. The submitted sample demonstrated **SATISFACTORY** level of lead content as total lead content in surface coating complied with the requirement.**(PASS)**

**TOTAL LEAD CONTENT IN SURFACE COATING**

- Consumer Product Safety Improvement Act (CPSIA) of 2008"Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint",
- Canadian Hazardous Products Act (CHPA), R.S., c. H-3, Schedule I, Part 1, Item 2
- Client's total lead in surface coating

NO COMPOSITE     COMPOSITE

Element:		Lead					
Requirement: Maximum allowable limit:							
<input type="checkbox"/> CPSIA limit :		<input type="checkbox"/>	90 mg/kg				
<input type="checkbox"/> CHPA limit:		<input type="checkbox"/>	600 mg/kg				
<input checked="" type="checkbox"/> Client's limit:		<input checked="" type="checkbox"/>	90 mg/kg				
Sample Description				Result	Conclusion		
	Color / Component	Location	Style	(mg/kg)	<input type="checkbox"/> CPSIA (90ppm)	<input type="checkbox"/> CHPA (600ppm)	<input checked="" type="checkbox"/> Client's Limit 90ppm
1.	White coating	Blinds	All	<10	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)

\* = Average of duplicate analyses

Remark: 1 In some cases, the tested component cannot be tested individually due to overlapped coatings. And it is not considered as "COMPOSITE".



**REMARK:**

1. As the client's request, the following tests were conducted.
  - 16CFR 1500.44 flammability.
  - Lead content in surface coating.
2. No protocol is enclosed for this report.

NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.

Technical questions & concerns:      Mealson Huang / Lester Luo  
(+86)755-86000151 ( Ext 6224 / 6663 )  
Mealson.huang@cn.bureauveritas.com  
Lester.luo@cn.bureauveritas.com

General Enquiries:                      Arrow Qiu/ Ada Zhu  
(+86)755-86000151(Ext6250/6265)  
Arrow.qiu@cn.bureauveritas.com  
Ada-a.zhu@cn.bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD

JASON WONG  
MANAGER – HARDLINES DIVISION